STATISTICAL TABLES

OF THE

ROYAL INFIRMARY OF EDINBURGH.

BEING AN

APPENDIX TO THE REPORT OF THE MANAGERS FOR THE YEAR 1865.

EDINBURGH:
PRINTED BY JOHN GREIG & SON,
OLD PHYSIC GARDENS.

R40030

CONTENTS.

I	PAGH
GENERAL STATEMENT of the Patients who were discharged from, or died in, the Hospital, from 1st October 1864 to 1st October 1865,	5
The Cases treated to a termination arranged according to the Class of Disease and the Sex of the Patients—shewing the number of cases, the results of treatment, and the mortality per cent. in each Sex,	6
The same Cases arranged according to the Class of Disease and the Age of the Patients—shewing the number of Cases and Mortality at the different periods of life specified,	7
Enumeration of the particular diseases treated, the Number of Cases male and female under each form of disease, the results of treatment, and duration of residence,	8
Tables relative to the Mortality in the Cases of Continued and Eruptive Fevers treated in the present and preceding years,	22
Monthly Admissions of Cases of Continued and Eruptive Fevers in year to 1st October 1865,	25
The principal Operations performed on Patients treated to a termination during the year, arranged according to the Sex of the Patients—shewing	
the result in each Sex, and the duration of residence after operation, The same Cases arranged according to the Auc of the Patients.	26

ERRATUM.

For Carbuncle at Orifice of Urethra, page 12, read Caruncle.

GENERAL STATEMENT of Patients who were discharged from, or died in, the Hospital during the Year, from 1st October 1864 to 1st October 1865:—

Total number of Patients who were discharged or died during the year, 4,533.

Of these—were	discharged	Cured, .			2,7 31	
27	11	Relieved,			867	
1)	"	On Other	Grounds,		443	
	Died in the	Hospital,		,	492	
						4,533

CASES treated to a termination, arranged according to the CLASS of DISEASE and the SEX of the PATIENTS.

r cent.	Total Cases.	12.74	: ;	6.01	0.43	20.11	14.04	33.93	7.45	5.60	7.55	:	11.59	4.41	5.20	12.26	1.04	10.81
Mortality per cent.	Females.	11.07	:	4.81	8.95	19.77	10.52	23.33	6.28	9.75	5.03	:	10.	3.61	5.63	10.15	1.69	9.01
Morta	Males.	14.15	:	တံ	9.70	20.30	16.08	40.	8.83	3.52	8.40	:	12.82	5.10	4.	13.03	.59	12.05
	.bicd.	31	:	4	10	35	14	77	21	<u>-</u>	L	:	ಣ	ಣ	7	13	C1	168
	Other Grounds.	:	:	:	24	21	9	5	45	4	24	0	4	4	14	:	IŠ	175
Females.	Relieved.	:	:	;	49	56	22	33	106	14	22	12	ಹ	C	ĭĊ	9	34	373
Fen	Cured.	249	:	62	82	65	91	00	162	47	65	43	18	29	48	100	29	1147
	Into'T	280	:	83	112	177	133	09	334	72	118	64	30	83	7.1	128	118	1863
	Died.	47	П	4	50	99	37	42	25	5	19	:	5	5	-	46		324
	Other Grounds.	:	:	:	45	35	32	22	20	11	37	17	oo	12	9	2	20	286
Malcs.	Relieved.	:	ତୀ	:	53	112	37	20	75	30	48	10	23	14	ಣ	22	48	404
	·pə.unə	285	:	46	88	112	124	7	154	96	122	29	24	29	15	278	00	1584
	Total.	332	ಣ	50	206	325	230	105	283	142	226	103	30	86	25	353	168	2688
	.bsid.	78	-	00	30	101	51	56	46	12	26		00	· 00	್ಟಾ	50	က	492
males.	Other Grounds.	:	;	:	69	56	38	32	74	20	19	26	12	16	500	7	35	461
Males and Females.	Relieved.	:	23	:	102	168	50	62	181	44	20	31	1	23	00	28	85	867
Males	Cured.	534	:	125	117	177	215	15	316	143	187	110	42	134	33	387	166	2731
	Total.	612	ಣ	133	8165	505	363	165	617	214	344	167	69	181	96	481	286	4551
	DISEASES & INJURIES.	Fevers. Continued.	Do. Intermittent.	Do. Emintive	Of Moreyone System	Of Organs of Resmiration	Of Organs of Digestion	Of Organs of Circulation	Of Genito-Iffinary Organs	Of Integration to Try System	Of Loomotive Organs	Of the Eve and amondage	Of the Ear, Nose, & Month	Theers and Absesses	Timoning	External Injuries	Miscellaneous,	TOTAL,*

* Including eleven cases of Typhus, and seven of Smallpox, which occurred in Patients under treatment for other diseases—most generally Enterie Fever.

CASES treated to a termination, arranged according to the CLASS of DISEASE and the AGE of the PATIENTS.

saths.	Total D		28		00	30	101	51	56	46	12	26	:	so.	20	00	59	ಣ		492	10.8
90.	Died.		:	:	:	:	:	:	-	:	:	:	:	:	:	:	:	:			33.33
80 to	Total.		-	:	:	:	:	:		:	:	:	:	:	:	:		:	1	:: :	83
. 80.	Died.		:	:	:	67	:	6.1		:	63	:	:	_	:	:	ଧ	:		2	16.12
70 to	Total.		:	:	:	67	_	5	ಣ	70	0	-	ಣ	7	2	00	12	4		75	16
. 70.	Died.		9	:	:	ಣ	Η	7	တ	5	67	63	:	:	C7	:	ಬ	:	!	4	19.80
60 to	Total.		12	:	:	17	13	27	16	30	13	6	17	9	7	6	21	10		7.07	19
. 60.	Died.		18	<u>—</u>	:	П	2	5	9	4	4	67	:	Н	:	ಣ	ಣ	:	1	င္ပင္	55
50 to	Total.		35	П	_	35	41	44	13	37	23	19	14	11	15	22	36	31		2/2	14.55
50.	Died.		9[:	67	ŭ	17	14	19	10	67	67	:	Η	H	Η	10	67	T	707	36
40 to	Total.	1	23	:	4	89	80	61	36	26	27	21	21	11	83	34	64	44	1	004	15.36
40.	Died.	1		:	:	9	32	15	12	16		4	:	_	Н	ಣ	12	-	1	711	13
30 to	Total.	8	25	:	10	85	125	81	32	155	23	36	23	4	23	34	101	63	- 1	100	13.13
30.	Died.	à T		:	टा	00	82	70	2	00	П	7	:	П	:	_	14	:	1	20	
20 to	Total.	T h T	Tot	01	99	65	166	108	40	194	61	83	48	00	14	40	124	85	100	17701	7.77
20.	Died.	t	_	:	:	ಣ	6	:		П	:	4	:	Н	Н	:	4	:	1	10	15
15 to	Total	-	 25 26	:	33	33	49	24	15	87	23	02	53	ಣ	9	22	46	41	-	999	5.31
15.	Died.		21	:	:	Ø	-	:		:	:	C 7	:	:	:	:	9	:	1	14	
10 to	Total.	9	 	:	6	14	15	S	4	4	19	44	Π	50	4	6	44	20	Ť	167	4.81
10	Died.		:	:	:	:	:		:	0.1	:	<u>در</u>	:	;	:	:	থ	:	1	- 7-1	9
5 to	Total.	9	200	:	G		4	ಣ	Н	ಣ	6	 63 63	:	9	67	ಣ	27	67	<u> </u>	1 14.1	4.96
್ಷ	Died.	r	_	:	4	:	9	0.1	:	:	:	Н	:	07	:	:	П	- <u>-</u>	1	 	···
0 to	Total.		9	:	9	-	တ	C3	4	20	Н	22	П	00	:		10	П	-	-	24.28
*89811	IntoT	9		ಣ	33	318	502	363	165	219	77	344	29	69	 96	81	81	987	+		
	[2,40[]]		<u> </u>	_	_			~ ~		9	<u>्</u>	20	_				4	<u>~</u>	70	2	
	DISEASES & INJURIES.		Fevers, Continued.	Do. Intermittent,	Do. Eruptive,	Of Nervous System,	T Of Organs of Respiration,	Of Organs of Digestion, .	Of Organs of Circulation,	Of Genito-Urinary Organs,	Of Integumentary System,	Of Locomotive Organs, .	Of the Eye and appendages,	Of the Ear, Nose, and Mouth,	Tumours,	Ulcers and Abscesses, .	External Injuries,	Miscellaneous,	T BOT	TOTAT,	Mortality per cent.

STATEMENT of CASES Treated to a Termination in the ROYAL Infirmary, from 1st October 1864 to 1st October 1865.

	es.		Ĵ	Males	3.			Fe	emale	28.		dence
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
FEVERS, CONTINUED— Typhus, Enteric Fever, Simple Continued Fever,	447 77 ,88	232 42 58	187 40 58			45 2 	215 35 30	187 32 30		•••	28 3	26 48 14
Total,	612	332	285			47	280	249	•••	***	31	• • • • •
FEVER, INTERMITTENT,	3	3	•••	2	•••	1	•••					
FEVERS, ERUPTIVE— Measles, Scarlet Fever, Smallpox,	25 53 55	5 15 30	5 14 27			 1 3	20 38 25	20 38 21			4	16 32 35
TOTAL,	133	50	46			4	83	79	• • • •		4	•••
NERVOUS SYSTEM— Meningitis—Simple, ,, Tubercular, Brain—Softening of, ,, Tubercular disease of, ,, Cancer of, ,, Tumour of, ,, Disease not specified, Apoplexy, Hemiplegia, Paralysis—Facial, ,, Partial, of Limbs, Paraplegia,	1 6 4 2 1 1 4 10 14 4 9 16	1 4 1 1 1 4 10 12 4 7 13	1 2 3 1	 1 2 4 3 3 4	 1 2 4 1 3 7	 2 1 1 1 6 1 2	1 1 2 2 3	 1	 1 2	 	6	25 7 15 15 5 11 31 9 28 49 42 48
Carry forward, .	72	58	7	19	18	14	14	3	3	1	7	

Fevers, Continued.—A list of the localities from which all the Fever cases admitted during the year were brought, is given in the General Report, to which these Tables constitute an Appendix.

were brought, is given in the General Report, to which these Tables constitute an Appendix.

As regards the native places of Patients, it may be here observed that of 338 Patients over 15 years of age treated for Typhus,—the form of Fever which prevailed most throughout the year, 256 were natives of Scotland, 72 of Ireland, and the remaining 10 were from England and foreign places; the per-centage of Scotland Irish being 75.7 of the former, and 21.3 of the latter.

Typhus.—According to the Table the mortality per cent. was, in Males, 19.39; in Females, 13.02; and in Males together with Females, 16.33. But of the Males 13, and of the Females 3, were brought to the Hospital in a moribund or hopeless condition, and died within forty-eight hours after their admission. Setting aside these cases, the mortality per cent. stands for Males, 14.61; for Females, 11.79; for both Males and Females, 13.22.

Enteric Fever —Of the Patients who died, one had fatal hamorrhage from the bowels, another perforation of bowel, a third Intersusception, Peritonitis, and Gangrene of bowel.

Smallpox.—Three of the Patients who died were children; one eighteen months, another two, and a third three years of age.

a third three years of age. Paraplegia.—In the case of the femalo eured, the Paralysis was consequent on Parturition.

CASES Treated to a Tormination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—eontinued.

	and		Δ.	Iales	,			$F\epsilon$	emale	28.		dence
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
NERVOUS SYSTEM— Brought forward, Epilepsy, Convulsions, Hysteria, Chorea, Dystaxia, Neuralgia, Hypochondriasis, Amentia, Mania, Puerperal Mania, Delirium Tremens, Obscure Nervous Affections,	$\begin{array}{c} 72 \\ 17 \\ 14 \\ 27 \\ 10 \\ 1 \\ 62 \\ 17 \\ 2 \\ 17 \\ 4 \\ 73 \\ 2 \\ \end{array}$	58 13 6 1 3 1 34 9 2 11 66 2	7 2 1 15 3 1 59	19 8 4 1 1 1 14 4 	18 3 1 2 5 2 2 10 1	14 	14 8 26 7 28 8 6 4 7	3 3 4 9 5 5 	3 1 4 22 2 16 1 	1 3 1 4 1 3 2 6 2 1 	7 2 1	32 18 24 45 254 21 15 5 23
TOTAL,	318	206	88	53	45	20	112	29	49	24	10	
ORGANS of RESPIRATION Coryza, Catarrh, Influenza, Laryngitis, Croup, Oedema Glottidis, Aphonia, Bronchitis, Acute & Chronic, Emphysema of Lungs, Asthma, Pleurisy—Acute, ,, Chronic, Empyema, Pneumonia—Acute, ,, Chronic, Pleuro-Pneumonia, Broncho-Pneumonia, Broncho-Pneumonia, Broncho-Pneumonia, Gangrene of Lung, Hæmoptysis, Phthisis—Tubercular, ,, Miners, ,, Grinders, Pleurodynia, Contraction of Chest from Pleurisy,	18 3 46 10 1 36 2 7 5 4 8 190 1 10 1	 1 1 5 2 1 1 80 15 29 1 3 4 1 5 126 1 1 4	1 1 3 21 3 26 2 3 3 44	 24 9 9 11 6 2 56 1 1 1	5		1 1 2 9 5 1 49 3 3 3 12 1 1 7 1 4 1 3 3 6 4 6	1 1 2 4 1 1 1 25 1 1 1 1 25 7 2 1 1 1 2 1 2 1 5 		5		2 6 12 24 3 33 15 24 31 19 19 36 113 21 43 24 20 16 32 39 5 36 9
TOTAL,	502	325	112	112	35	66	177	65	56	21	35	
ORGANS OF DIGESTION and Contiguous Parts— Uvula, Ulceration of, Carry forward,	1						1	1				6
Carry forward,	1 1	ļ' ···	•••	•••			1	1				6

Puerperal Mania.—One of these Patients died on the day she was admitted, another on the day after admission.

Laryngitis.—The Patients who died had Tubercular disease of the lungs.

Pleurisy, Acute.—In the case which terminated fatally, both sides of the chest were affected. The patient died a few hours after admission.

Preumonia, Chronic.—In both fatal cases Tuberculosis.

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	s and		j	Male	3.			F	emal	es.		lence 3.
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
ORGANS OF DIGESTION and Contiguous Parts— Brought forward, Tonsils—Inflammation of, " Enlargement of, " Malign. Disease of, Throat & Fauces—Inflam. of, " Ulceration of, Diphtheria,	$\begin{matrix} 6 \\ 4 \\ 5 \\ 3 \\ 69 \\ 3 \\ 4 \\ 7 \\ 8 \\ 2 \\ 1 \\ 6 \\ 8 \\ 1 \\ 29 \\ 1 \\ 25 \\ 9 \\ 1 \\ 7 \\ 7 \\ 1 \\ 4 \\ 1 \\ 1 \\ 6 \\ 1 \\ 6 \\ 1 \\ 4 \\ 1 \\ 1 \\ 2 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\ 4 \\ 1 \\ 1 \\ 1 \\ 2 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\ 2 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\ 2 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\ 2 \\ 1 \\ 3 \\ 1 \\$	9 2 1 1 1 2 3 2 2 3 4 3 3 3 7 6 1 5 5 1 2 9 2 1 1 1 4 1 1 1 1 1 5 9 1 1 1 5 5 1 4 4 1 3 1 2 1 4 12	99 2				1 20 1 1	1 200 1 1 3 23 1 23 21 2 22				13 3 10 47 25 5 31 51 22 43 18 28 33 42 6 24 38 10 22 38 11 36 56 13 37 25 23 107 14 42 8 8 8 8 8 8 8 8 8 8 8 8 8
Carry forward, .	278	169	78	34	24	33	109	74	21	4	10	

Diphtheria. Of the Patients who died, one was an infant eighteen months old, another was three, and

Dipinicria.—Of the Patients who died, one was an infant eighteen months old, another was three, and the third eight years of age.

Jaundice.—The dnet obstructed by gall stones in one of the fatal cases; the immediate cause of death in the other was Pnennonia.

Diarrhea.—Both the patients who died were aged persons labouring under Chronic Diarrhea.

Hernia.—For cases operated on see Table of Operations; of the patients in whom the Hernia was reduced by taxis, one with Inguinal Hernia died of Peritonitis.

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	s and		1	Males	r.			F	emal.	es.		dence
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
ORGANS OF DIGESTION and Contiguous Parts - Brought forward, Hernia -Femoral, Rectum -Stricture of, ,, Malign. disease of, Anus -Prolapsus of, ,, Fissures and excor. of, ,, Tumours at verge of, Hæmorrhoids, Ischio-Rectal Abscess. Fistula in Ano,	278 9 2 6 1 6 1 1 18 3 39	169 2 1 5 1 3 1 13 2 33	78 2 1 3 1 11 11 27	34 1 2	24 2 1 1 1 4	33 1 1 1 	109 7 1 1 3 5 1 6	74 3 3 5 1 5	21	4 1	10 4 	15 22 25 22 11 10 12 9
TOTAL, .	363	230	124	37	32	37	133	91	22	6	14	
ORGANS of CIRCULATION & disordered states of Blood—Plethora,	2 7 5 2 2 6 102 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 3 688 1 3 3 12 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 	1			1 77 55 3 344 22 1	2	1 5 5 19 2 			16 25 24 35 17 23 30 26 8 51 46 27 40 17 75 54 14 22 21 25 59
TOTAL, .	165	105	7	29	27	42	60	8	33	5	14	
GENITO-URINARY OR- GANS & Contiguous Parts— Kidneys—Inflammation of, ,, Cancer of, , , Chron. dis. not specified. ,, Hydatid Tumour of, Bright's Disease, Albuminuria,	12 1 8 1 40 9	6 6 23 3	2 5 	2 2 10 3	1 2 	1 2 6 	6 1 2 1 17 6	4	1 1 1 7 1	 4 1	1 1 1 5	40 80 39 20 39 22
Carry forward, .	71	38	7	17	5	9	33	9	11	5	8	
Rectum Malina Diama c												

Rectum, Malign. Disease of.—Diseased portion excised in the patient discharged cured. Prolapsus Ani.—This patient died of Pyæmia. Hamorrhoids.—See Table of Operations.

Aneurisms.—For cases operated on, see Table of Operations. Kidney, Hydatid Tumour of.—Contents discharged by Urethra, apparently with complete relief.

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	s and		ì	Male	3.			F	'emal	es.		lence s.
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
GENITO-URINARY OR- GANS & Contiguous Parts— Brought forward, Oxaluria, Hæmaturia, Diabetes Mellitus, Diurcsis, Addison's Disease, Bladder—Irritability of, , Paralysis of, , Acute Inflam of, . , Chronic do., , Cancer of, , Calculus in, , Fasciculated, Prostate—Enlargement of, , Abscess of, , Cancer of, Gonorrhea, Gonorrhea, Gonorrhea Warts, Urethra—Stricture of, , Carcinoma of, , Carcinoma of, , Carcinoma of, , Carcinoma of, , Teaticle—Inflammation of, . , Testicle—Inflammation of, , Simple Enlargement of, , Simple Enlargement of, , Scrofulous do. do., . , Malignant disease of, Spermatorrhea, . Hydrocele, Hæmatocele, Tunica Vaginalis—	71 72 15 4 19 1 14 43 1 1 4 19 8 1 6 5 5 2 1 2 5 1	38 6 2 12 2 1 4 4 2 9 9 1 7 7 1 1 1 9 9 8 1 6 6 5 5 2 2 1 2 1 5 1	7 2 8 8 8 1 27 1 8 8 8 1 6 2 4 4 2 18 4 1	17 6 8 2 1 1 3 1 4 1 1 8 2 1 2 1 1	5	9	33 1 3 2 5 1 1 4 5 3 3 4	9	111 1 2 4	5	88	25 39 101 41 58 23 16 21 72 33 45 2 26 12 49 36 22 30 7 18 22 18 14 17 10 21 20 53 62 34 23 16 22 30 53 64 54 54 54 54 54 54 54 54 54 54 54 54 54
., Malign. disease of, Scrotum—Abscess of ,, Cancer of, Perineal Abscess, Do. Fistula,	1 1 4 5	1 1 1 4 5	1 1 4 	4	1 1	•••	•••	•••			•••	62 30 54 15 35
Ovary—Inflammation of, ,, Chronic Enlargemt. of, ,, Dropsy of, Uterus—Prolapsus of, ,, Anteversion of, ,, Retroversion of, ,, Adhesions of, ,, Contraction of Os,.	2 9 4 1 3 1			•••			2 2 9 4 1 3 1	···	2 4 4 1 2 1 1	2 1 1 	3	20 21 48 54 30 35 43 14
Carry forward, .	307	221	115	63	22	21	86	25	37	13	11	

Prostate, Enlargement of.—In fatal case Albuminuria, the patient died of head affection. Phymosis.—Cause of death in fatal case, Diphtheria.

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

Syphilis.—The cases which exhibited more than one form of Syphilitic disease are entered in the Table only under the head of the particular affection which predominated in each ease at the time of

In the Returns Condyiomata are noted as occurring in combination with one or several of the other local affections above-mentioned, in 14 cases, sore throat in 15, and cutaneous cruptions in 12 cases.

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	and			Iales				F	emale	28.		nec
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total	Cured.	Relieved.	Other Grounds.	Dicd.	Mean Residence in Days.
GENITO-URINARY OR- GANS & Contiguous Parts— Brought forward, Sore Throat, Do. Mercurial, Iritis, Periostitis, Ulceration—of Nose& Mouth of Tongue and Throat, of Super. Extremity, of Inferior Extremity, of Inferior Extremity, Caries and Necrosis— of Bones of Face, of Tibia, Laryngitis, Sarcocele, Syphilitic dis.—of Kidney, Do. of Liver and Kidney, Local Affections not specifd., Congenital Syphilis,	3 1 7 2 3 5 1 2 8 2	258 1 1 8 1 1 1 1 2 5	1444 1 1 5 1 1 1 1 1 1 1 1	67 2 1 1 4	25	222	301 6 2 1 2 2 1 6 2 5 1 3 2	147 4 2 1 2 1 2 1 2	91 2 1 1 3 2 3 3	43	20	7 22 40 30 23 35 78 33 29 30 17 28 8 56 40 18
Total, .	617	283	154	75	29	25	334	162	106	45	21	
INTEGUMENTARY SYSTEM— Erythema, Do. Nodosum, Roseola, Urticaria, Eczema—Simplex, ,, Rubrum, , Impetigenodes, Herpes, Do. Zoster, Scabies, Pemphigus, Impetigo, Ecthyma, Acne—Rosacea, Lichen, Prurigo, Psoriasis, Icthyosis, Lupus, Do. Exedens, Favus, Sycosis, Chloasma, Horny Growth—on Temple, Onychia,	3	1 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1		 1 1 1 3 1 2 4 1 			1 1 1 14 4 4 1 1	1 1 1 1 1 1	 		1 1 	18 24 5 20 38 42 43 9 11 17 63 29 26 7 22 39 53 54 57 93 108 15 98 15 15 16 17 17 18 18 19 19 10 10 10 10 10 10 10 10 10 10
Ingrowing of Nails, .	1	1	1				1				• • •	

Erythema.—Consequent on a slight scratch on finger in fatal case—eause of death Pyamia. Eczema Impetigenodes.—Cause of death in fatal case, Erysipelas of Scalp.

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	es.			Male	\$.		İ	1	7cma	les.		dence
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
INTEGUMENTARY SYSTEM—Brought forward, Whitlow, Boils, Carbuncle, Erysipelas, Phlegmonous do., TOTAL,	144 13 1 9 44 3 214	101 8 1 8 22 2	64 5 1 7 18 1	27 3 30	9 2 11	1 1 2 1	43 5 1 22 1	26 5 16 	14	2 2 4	1 1 4 1	20 36 25 25 26
LOCOMOTIVE ORGANS, &	1	1	1 00	1 00	11	0	1144	71	1,1	1	1	
OSSEOUS SYSTEM— Bursæ, Inflammation of, Ganglion, Bones— Inflammation of Periosteum	21 1	8	6	2 3	•••		13 1 6	10 1	1	1	1	32 54
Abscess of do.,	2 1 1 1 1 1 1	2 1 1 1	i	1 1	 1		1 1 1 1 1 		i i i i i 		1	27 46 38 36 22 22 52 52 5 82 5
,, of Mastoid Bone, . , of Sternum, . , of Scapula, . , of Humerus—head of, , of Do.—shaft of, . , of Radius, . , of Do. and Ulna, . , of Phalanges of Fingers, , of Sacrum, .	1 1 2 2 8 2 2 2 3 1	1 1 2 1 5 2 1 2	 2 1 4 2 1 2		 1 		1 3 1 1	1 3 	 1			13 14 17 88 54 53 76 36 47
,, of Ischium, ,, of Trochanter Major, ,, of Femur, ,, of Tibia, ,, of Fibula, ,, of Os Calcis, ,, of Phalanges of Toes, ,, of Stumps, Exostosis—of Great Toe,	1 1 7 13 3 1 2 3	1 5 7 3 1 1 3	1 4 6 3 1 1 3 1	ï i i		i	 2 6 1	 2 4 1	 2 	 1		22 81 78 57 35 32 67 13 19
,, of Clavicle, Abscess—in Head of Ulna, ,, in Head of Tibia, Tuberc. depos. in Hd. of do., Malignt. disease—of Femur, ,, of Tibia, ,, of Fibula, ,, of Hand, Spine—		1 1 1 1 1	i i 	1	 1 1	····	1 1	1 1				61 205 57 109 2 2 18
Disease—of Atlas & Occip.,	_ 1	1		1			•••					23
Carry forward, .	110	66	45	13	5	3	44	32	8	2	2	
Burse Inflammati											- 1	

Bursa, Inflammation -Bursa excised in fatal case-cause of death Pyremia.

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—eontinued.

	es.		1	Iales	3.			F	emal	28.		dence
DISEASES,	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Dicd.	Mean Residence in Days.
LOCOMOTIVE ORGANS & OSSEOUS SYSTEM— Brought forward, Disease—of Cervical Verteb. ,, of Dorsal & Lumb. Verteb. ,, of Dorsal & Lumb. Verteb. , of Lateral Curvature of Spine, Lateral Curvature of Spine, Lateral Curvature of Do. Spina Bifida, Joints— Synov. Memb., Inflam. of, Disease—of Shoulder Jnt., , of Elbow Joint, ,, of Wrist do., ,, of Do., Malignant, ,, of Fingers, ,, of Hip Joint, ,, of Knee do., ,, of Ankle do., ,, of Tarsal & Metatarl.do. ,, of Toes, Nervous Affection of Joints, Mov. Cartilages in Knee Jnt. Anchylosis—of Elbow Joint, ,, of Knee Joint, , of Knee Joint, , of Knee Joint, ,, of Fingers, ,, of Do. Congenital, Webbed Fingers, Talipes—Equinus, ,, Varus, ,, Equino—Varus, ,, Valgus, Atrophy—of Deltoid, Gangrene of Feet, Painful Stumps, Neuroma of Stump,	22 9 1 3 24 35 20 6 3 3 1 1	666 24 51 3 17 8 15 8 11 17 19 17 5 2 2 2 3 3 2 1 1 1 4 5 5 1 1 1 4 1 1 1 1 1 1 1 1 1 1	45	13 2 1 3 1 1 4 3 2 3 3 4 3 2 1 1 1 1	5 2 2 2	3 1	44 1 5 1 1 9 2 7 1 1 6 3 1 1 1 3 1 2 2 3 2 2 1 1 1 2 1 1	32	8 1 3 1 2 2 1	2 1 4 1 1 4 4 3	2	27 30 49 16 26 15 37 43 72 45 34 22 25 57 44 43 82 20 29 46 31 17 63 5 20 17 5 20 17 5 20 17 5 5 6 17 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7
TOTAL, .	344	226	122	48	37	19	118	65	22	24	7	
THE EYE—Diseases and Injuries— Eyelids—Nævus of, ,, Inversion of, ,, Rodent Ulcer of, Tarsi—Inflammation of, Canaliculi—Obstruction of, Nasalduet—Obstruction of, Conjunctiva— ,, Simple Inflam. of, ,, Catarrhal Inflam. of,	1 2 1 1 2 2 7	 1 1 3 2	 1		1			1 2 1 1 2 4				5 10 51 11 4 7 51 12 46
	4	óu l	-	• • • •			• • •	• • • •	•••	1		.0
,, Purulent do., . Carry forward, .	19	7	6		1		12	12	,			

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	es and			Male	s.			F	'emal	les.		denee ys.
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
THE EYE—Diseases and Injuries—Brought forward,	19	7	6		1		12	12				
Conjunctiva— ,, Granular State of, Cornea—Simple Inflam. of, ,, Strumous do., ,, Ulceration of, ,, Abscess of, ,, Opacity of, ,, Staphyloma of, Anterior Chamber—	4 21 7 18 9 3 3	2 7 4 10 9 2 3	 6 4 7 5 2	1 1 1 1 2 1	1 2 3 		2 14 3 8 1	2 7 3 7 	5	2 1 		19 42 65 16 19 38 15
, Effusion of Blood into, ,, Effusion of Pus into, Iris-Inflam. of, , Occlusion of pupil of, Choroid and Iris-Inflam. of, Rheumatic Ophthalmia, Capsule-Opacity of, Lens-Dislocation of, Cataract-Spontaneous, Do. Traumatic, Retina-Anæmia of, ,, Hyperæmia of, Optic Nerve-Atrophy of, Amaurosis, Strabismus, Ptosis, Malign. Tumour in Orbit,	1 5 4 2 1 1 27 5 1 1 1 2 1 1 1 2 1	1 3 3 3 3 1 1 21 4 1 1 1 	1 1 13 2 1 1 		77 11 10 		2 2 1 2 6 1 1 2	3	11 1 11 1	1 1 2		32 20 25 31 58 5 55 55 10 3 27 25 17 36 47
Evulsion of Eyeball, Contusion of do., Do., and rupt. of Cornea, Do., and burn of do., Wounds—of Cornea, ,, of Sclerotic, penetrating ,, of Eyelids, lacerated, Foreign Body—in Cornea, Traumatic Ophthalmia,	1 1 4 1 4 1 1 1 9	1 1 1 3 1 	3 7	1 1 2			1 3 1 1 1 1	 1 1 1 1 1	"i	2		30 21 8 28 27 26 8 38
TOTAL, THE EAR, NOSE, AND	167	103	67	19	17	•••	64	43	12	9		
MOUTH— Meatus of Ear—Polypus of, Tympanum—Inflam. of, Internal Ear—Inflam. of, Deafness, Nose—Periosteal Abscess of, ,, Polypus in, ,, Hæmorrhage from, Lips—Epithelioma of, , Cancer of, Harc Lip, Do., and Cleft Palate, Fissure of Hard Palate,	1 1 2 1 1 4 2 17 2 6 4 1	1 1 15 2 3 2 1	1 3 13 2 3 1		···· i	 i i 	 1 1 1 1 1 2 2 3 2	 1 1 2 2 2 	"i "i "i 		 1 1	7 66 3 11 16 9 8 14 42 18 17 20
Carry forward, .	42	28	23	1	1	3	14	10	2		2	20

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	s and s.			Males	3,			F	cmal	es.		cnce 8.
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
THE EAR, NOSE, AND MOUTH—Brot. forward, Ulceration of Palate, . Epulis,	42 1 3 1 1 6 1 5 2 3 4	28 1 2 1 3 4 39	23 1 24	1 2	1 1 2 4	3 2 5	14 1 3 1 1 5 1 3 1 	10 3 1 2 1 1 	2 1 1 1 5	2	2	104 14 3 25 26 15 25 10 19 11
TUMOURS — additional to those included in preceding lists— Of Breast— ,, Adenoid,	1 2 1 2 1 2 1 3 3 6 1 3 3 6 2 2 2 1 2 1 3 3 1 2 1 1 6 6 6						1 2 1 2 1 2 2 1 1 1 1 1 4 4 1 2 2 3 3 3 2 2 2 1 1 1 1 1 1 1 1 1 1 1	1 2 1 2 1 17 1 1 1 4 4 1 2 2 3 3 2 1 1 1 1 1				32 52 27 34 17 33 7 23 12 12 22 21 38 21 17 28 6 29 50 18 7 54 21 7 31 19 9 62 3 17 3 17 3 17 3 19 4 19 4 19 4 19 4 19 4 19 4 4 4 4 4 4
TOTAL, .	96	25	15	3	6	1	71	48	5	14	4	•••

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	es and			Male	s.			I	^r emai	les.		dence
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
ULCER AND ABSCESS— Ulcers—Indolent, Irrit., &c. , Varicose, , Phagedenic & Sloughing, , Mercurial, , Strumous, , Cancerous—of Face, , Do. of Thigh, , Do. of Leg, . Absccsses—Mammary, , Axillary, , Lumbar, , Psoas, , of Scalp, , of Face and Neck, , of Superior Extremities, , of Inferior do. Sinuses, Bed Sores,	85 13 6 1 5 5 1 1 11 3 6 6 23 4 1	42 7 2 3 4 1 1 1 3 3 6 1 1 4 1 1 2	333 7 3 3 1 1 2 2 13 1 1 1	5 1 1 1 1 2 2	4 2 1 1	1 2 2 1	43 6 4 1 2 1 11 2 3 3 7 	36 5 4 1 8 2 2 3 6 	4 1	2	1	31 27 49 20 94 30 57 8 22 44 33 4 12 18 19 28 11 37
TOTAL, .	181	98	67	14	12	5	83	67	9	4	3	
EXTERNAL INJURIES— Concussion of Brain, Compres. of Do. after Injury, Concussion—General, Fractures—of Skull, , of Do., with Depression, , of Base of Skull, , of Cervical Vertebræ, , of Dorsal & Lumbar do., , of Lower Jaw, , of Do. Comp. & Comm., , of Ribs, , of Crest of Ilium, , of Sacrum, , of Pelvis, , of Acromion, , of Neck of Humerus, , of Shaft of do., , of Do. Compound, , of Badius, , of Radius, , of Ulna, , of Radius and Ulna, , of Bones of Hand, , of Neck of Femur, , of Shaft of Femur, , of Do. Intracapsular, , of Do. Compound, , of Shaft of Femur, , of Do. Compound, , of Do. Compound, , of Shaft of Femur, , of Do. Compound, , of Do. Compound,	11 1 5 8 2 1 2 2 3 1 1 1 0 4 4 1 3 2 2 1 4 2 2 2 2 1 4 2 2 2 2 1 4 4 2 2 2 2 2 2 2 2 2 2 2 2 2	10 1 2 6 6 2 1 2 3 1 1 4 4 2 1 3 1 3 1 1 4 4 2 2 1 100 2 1 155 2 1	8 1 5 1 1 1 2 1 2		1	1 1 1	1 3 2 2 6 2 1 2 1 1 1 2 1 1 4 2 1 1 7	1 2 1				10 10 10 8 11 15 18 15 5 5 10 17 28 26 1 29 24 32 46 46 25 28 22 21 32 17 25 60 37 67 62
Carry forward,									• • • •	***		73

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

	s and			Male	8.			F	'emal	·es.		lence s.
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Dicd.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mean Residence in Days.
EXTERNAL INJURIES— Brought forward, Fractures—of Patella, , of Tibia, , of Do. Compound, , of Internal Malleolus, , of Fibula, , of Do. Comminuted, , of Do. Comminuted, , of Do. Compound, , of Do. Compound, , of Do. Compound, , of Bones of Foot, Ununited Fract.—of Femur, , of Fibula, , of Fingers—Compound, , of Hip Joint, , of Ankle do—Comp., , of Toes—Compound, Contusions—of Head, , of Chest, , of Back and Loins, , of Pelvis, , of Superior Extremities, , of Inferior do., Sprains—of Spine, , of Knee, , of Ankle, Strain—of Muscles of Leg, Rupture—of Ligam. Patella, Wounds—of Scalp, , of Face, , of Throat—Suicidal, , of Thorax—Penetrating , of Abdomen, , of Knee Joint, , of Foot, , of Wrist, , of Hand—Cont. & Lacer. , of Perineum. , of Foot, , of Vagina, , of Labia—Lacerated, , of Radial Artery, , of Other parts, , wounds—Gunshot of Hand, , Poisoned of Finger, Bitc—by Dog, , Foreign Body—in Foot, Burns—of Head and Face, , of Back and Loins, , of Abdonien, Carry forward,	9 1 1 2 6 2 1 2 1 2 5 4 7 2 1 5 2 7 2 1 1 1 1 1 1 2 1 2 1 1 1 1 1 1 1 1	85 3 15 2 1 24 16 6 8 10 7 1 1 2 2 4 2 1 1 2 2 2 3 3 3 7 1 12 2 2 2 1 1 1 1 9 6 3 1 1 3 2 2 6 6 1 6 1 1 1 2 3 3 3 9	57 3 14 2 1 23 16 6 4 6 1 2 4 4 2 1 2 2 3 3 3 6 6 1 1 1 1 1 7 2 10 1 1 1 1 7 4 4 1 3 1 6 6 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7		17	40	33 5 1 2 2			3	37 41 95 17 33 34 62 70 20 22 50 4 16 53 22 48 30 57 11 13 17 20 7 21 29 36 14 14 16 35 28 12 23 21 11 26 6 14 14 20 111 2
		1				1		1			'	

CASES Treated to a Termination in the Royal Infirmary, from 1st October 1864 to 1st October 1865—continued.

CONTINUED FEVER—Number of Cases and Mortality at different Ages.

		21.2	Tale	28.			Fe	ma	les.			Male	es a	nd F	'emal	es.
AGES.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Under 5 years. From 5 to 10 ,, 10 to 15 ,, 15 to 20 ,, 20 to 30 ,, 30 to 40 ,, 40 to 50 ,, 50 to 60 ,, 60 to 70 ,, 70 to 80 ,, 80 to 90	5 18 60 54 82 48 37 23 4 	4 18 58 50 74 39 26 12 3 			1 2 4 8 9 11 11 1 	1 20 36 48 69 50 36 12 8 	1 20 36 45 62 46 31 5 3			3 7 4 5 7 5	6 38 96 102 151 98 73 35 12	5 38 94 95 136 85 57 17 6 			1 2 7 15 13 16 18 6 	16.66 2.08 6.86 9.93 13.26 21.91 51.42
TOTAL .	332	285			47	280	249			31	612	534			78	12.74

TYPHUS—Number of Cases and Mortality at different Ages.

		M	[ale	es.			Fe	mai	les.			Male	s a	nd F	'emal	es.
AGES.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Under 5 years. From 5 to 10 ,, 10 to 15 ,, 15 to 20 ,, 20 to 30 ,, 30 to 40 ,, 40 to 50 ,, 50 to 60 ,, 60 to 70 ,, 70 to 80	5 13 44 36 49 36 28 19 2	4 13 42 34 41 27 17 8 1			1 2 2 8 9 11 11 11	1 19 27 29 51 38 31 11 8	1 19 27 27 46 34 26 4 3			2 5 4 5 7 5 	6 32 71 65 100 74 59 30 10	5 32 69 61 87 61 43 12 4			1 2 4 13 13 16 18 6 	16.66 2.81 6.15 13.00 17.56 27.11 60.00 60.00
TOTAL .	232	187			45	215	187			28	447	374		•••	73	16.33

ENTERIC FEVER—Number of Cases and Mortality at different Ages.

		Mal	es .			Fer	mal	les.			Male	s a	nd F	emal	es.
AGES.	Total.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Under 5 years. From 5 to 10 , 10 to 15 , 15 to 20 , 20 to 30 , 30 to 40 , 40 to 50 , 50 to 60 , 60 to 70 , 70 to 80 , 80 to 90	6 10 17 3 3 	1 6 8		 2 	1 6 9 10 7 1 1 	1 6 8 8 7 1 1 			 1 2 	2 12 19 27 10 4 1 1	2 12 16 25 10 4 1			3 2 	
TOTAL, .	42 4	0		2	35	32			3	77	72			5	6.49

ENTERIC FEVER—Mortality in the Cases treated during the last five years.

		Male	·s.			Fen	nal	es.			Male	s a	and F	emal	es.
YEARS.	Total.	Curea. Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Year to Oct. 1. 1861, ,, Oct. 1. 1862, ,, Oct. 1. 1863, ,, Oct. 1. 1864, ,, Oct. 1. 1865, TOTAL,	42 3 42 3 75 7 42 4	23 39 70 40		3 3 5 5 2	9 37 25 65 35 171	7 31 19 57 32 146			2 6 6 8 3 25	35 79 67 140 77 398	30 70 56 127 72 355			5 9 11 13 5	10.80

TYPHUS—Mortality in the Cases treated during the last five years.

	M	ales.	F	emales.	Males and	l Females.
YEARS.	Total. Cured.	Relieved. Other Grounds. Died.	Total. Cured.	Relieved. Other Grounds. Died.	Total. Cured. Relieved. Other	Grounds. Died. Mortality per cent.
Year to Oct. 1. 1861, ,, Oct. 1. 1862, ,, Oct. 1. 1863, ,, Oct. 1. 1864, ,, Oct. 1. 1865, TOTAL,	116 104	8 2 15 12 45	19 16 5 3 30 28 96 88 215 187 365 329	2 2 8 28	14 10	11 17 20 73

SMALLPOX—Mortality in the Cases treated during the last ten years.

		Males			Fe	ma	les.			Mal	es a	ınd F	⁷ emal	es.
YEARS.	Total.	Relieved.	Grounds. Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Year to Oct. 1. 1856, ,, Oct. 1. 1857, ,, Oct. 1. 1858, ,, Oct. 1. 1859, ,, Oct. 1. 1860, ,, Oct. 1. 1861, ,, Oct. 1. 1863, ,, Oct. 1. 1864, ,, Oct. 1. 1865,	7 68 55 49 29 23 7 8 203 176		2 13 13 6 6 2 27 6 3	25 66 12 58 48 35 5 190 16 25	25 59 12 50 46 30 5 165 12 21		:: 2 1 :: :: ::	5 7 2 4 25 4 4	51 133 19 126 103 64 12 393 53 55	49 123 18 105 95 53 10 341 43 48		1 1 	2 8 1 20 8 10 2 52 10 7	
TOTAL, .	529 46		6 9	480	425		4	51	1009	885		4	120	11.89

SCARLET FEVER—Mortality in the Cases treated during the last ten years.

		Females.					Males and Females.								
YEARS.	Total.	Cwred.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Year to Oct. 1. 1856, ,, Oct. 1. 1857, ,, Oct. 1. 1858, ,, Oct. 1. 1859, ,, Oct. 1. 1860, ,, Oct. 1. 1861, ,, Oct. 1. 1862, ,, Oct. 1. 1863, ,, Oct. 1. 1864, ,, Oct. 1. 1865,	19 3 8 5 3 16 9 15 1	16 3 8 4 2 16 8		2 3 1 1 2 1	39 43 2 10 3 18 32 18 35 38	37 38 2 10 3 17 30 18 34 38		2	2 3 1 2	51 62 5 18 8 21 48 27 50 53	47 54 5 18 7 19 46 26 47 52		2	4 6 1 2 2 1 3 1	
TOTAL, .	105	94		lı	238	227		2	9	343	321		2	20	5,83

MEASLES-Mortality in the Cases treated during the last ten years.

	A)	lales.		Fen	nales.			Male	s and	Femal	es.
YEARS.	Total. Cured.	Relieved. Other Grounds. Died.	Total.	Cured.	Relieved. Other Grounds.	Died.	Total.	Cured.	Relieved. Other	Died.	Mortality per cent.
Year to Oct. 1. 1856, , Oct. 1 1857, , Oct. 1. 1858, , Oct. 1. 1859, , Oct. 1. 1860, , Oct. 1. 1861, , Oct. 1. 1862, , Oct. 1. 1863, , Oct. 1. 1864, , Oct. 1. 1865,	$ \begin{array}{c cccc} 6 & 5 \\ 7 & 6 \\ 2 & 2 \\ 12 & 12 \\ 1 & 1 \end{array} $		7 14 5 6 8 4 23 20	7 14 4 6 8 4 22 20	i i	 1	16 25 11 12 15 6 35 1 25	15 25 10 11 14 6 34 1 25	1	1 1 1	
TOTAL, .	59 56	3	87	85	1	1	146	141	1	4	2.73

MONTHLY ADMISSIONS of Cases of Continued and Eruptive Fevers, from 1st October 1864 to 1st October 1865.

FEVERS.	October 1864.	November.	December.	January.	February.	March.	April.	May.	June.	July.	August.	September.	Total.
Typhus, Entcric Fever, Simple Continued Fever, TOTAL,	33 10 8 51	41 14 3 58	35 14 4 53	50 5 6 61	32 3 10 45	43 1 7 51	20 2 2 2 24	41 3 5 49	52 2 11 65	38 6 7 51	38 5 5 48	49 10 11 70	472 75 79 626
Measles, Scarlet Fever,	6	 5 3	1 4 5 10	$\begin{array}{c} 2\\4\\6\\\hline 12\end{array}$	1 6 3	$\frac{2}{11}$ $\frac{11}{14}$	$ \begin{array}{c c} 4 \\ 3 \\ 13 \\ \hline 20 \end{array} $	6 1 1 8	$\begin{array}{c} 4\\1\\2\\\hline 7\end{array}$	$\begin{array}{c} 3\\1\\3\\\hline 7\end{array}$	1 3 1 5		24 35 48 107

Note.—It will be observed that numbers given in all the preceding Tables under the heads of Continued and Eruptive Fevers, refer to the eases discharged during the year, without regard to the date of admission.

OPERATIONS performed in Cases Treated to a Termination during the Year, from 1st October 1864 to 1st October 1865.

			Ma				Femo	ile s .		.8.	side	n Re- nce in
OPERATIONS.	,ase		7.	Grds.			7.	rds.		cath		ation.
	Total Cases.	Total.	Cured or Relieved.	Other 6	Died.	Total.	Cured or Relieved.	Other Grds.	Dicd.	Total Deaths.	Cured.	Died.
LOCOMOTIVE ORGANS AND OSSEOUS SYSTEM— Primary Amputations— ,, at Shoulder Joint, ,, of Arm, ,, of Forearm, ,, of Fingers, ,, at Hip Joint, ,, of Leg, ,, of Toes, Double Primary Amputations— ,, of Arm and Forearm of op. sides, ,, of Leg and at Ankle on do., Secondary Amput. for Injuries— ,, of Fingers, ,, of Leg, ,, of Toes, Amputations for Disease of Limbs— ,, at Shoulder Joint, ,, of Arm, ,, of Forearm, ,, of Forearm, ,, of Forearm, ,, at Shoulder Joint, ,, of Arm, ,, of Forearm,	2 3 5 16 1 5 1 5 1 2 7 2 1 1 1 1 5 17 1 17 1	2 2 3 3 13 1 5 1 4 4 1 3 2 6 6 2 1 1 1 4 4 1 1	1 2 3 13 4 4 1 6 1 1 1 10		1 1 5 1 1 1 3 1	1	1 3 1 1 1 1 1		 1 1 	1 1 1 1 5 1 1 1 1 	41 40 35 20 19 56 16 73 35 28 14 100	8 6 46 10 111 0 4 4 2 19 27 111 10 13
Carry forward, .	79	63	43		20	16	13		3	23		

Prim. Amput. at Shoulder Joint .- Performed on account of Compound Comminuted Fractures of the Humcrus, resulting from railway accidents. In the case which terminated fatally, the cause of death was Pyæmia.

Prim. Amput. of Arm.—The patient who died was a woman over 70 years who had sustained Compound Comminuted Fracture of the Bones of the Forearm, and Compound Dislocation of the Elbow Joint. Prim. Amput. of Forearm.—The fatal case was one of severe injury of the hand by machinery. The

Prim. Amput. of Forcarm.—The fatal case was one of severe injury of the hand by machinery. The patient, a person of intemperate habits, who had suffered repeated attacks of delirium tremens, died suddenly on the forty-sixth day, the wound heing at the time cicatrized.

Prim. Amput. at Hip Joint, and Prim. Amput. of Thigh.—All cases of severe compound fractures from crushing of limbs in railway accidents. Two patients, brought from a distant part of the country (of which the case of Amputation at the Hip Joint was one), died the same day; a third sank on the day after admission; a fourth, after progressing favourably for a time, sauk on the twelfth day; the other two patients died of Pyamia.

Prim. Amput. of Leg.—A case of the same description as the preceding; cause of death, Pyamia.

Double Primary Amputations.—Performed in both instances on account of Compound Comminuted Fractures of the limbs; occasioned in the case first mentioned, by an explosion of gun ectton and court

Fractures of the limbs; occasioned, in the case first mentioned, by an explosion of gun cotton and complicated with other lujuries; in the latter, by crushing of the limbs in a railway accident.

Secondary Amput. of Forearm.—In the case which terminated fatally, the operation was performed

on account of a gunshot wound of the hand, followed by Tetanus.

Secondary Amput. of Leg.—The fatal case was one of Compound Comminuted fracture of the Leg, operated on several weeks after the occurrence of the accident. The patient died exhausted on the nineteenth day after the operation.

Amput. at Shoulder Joint—Operated on for Malignaut Tumour of the arm; the patient died of Pyanuia.

Amput. of Arm.—Performed on account of Phlegmonous Erysipelas and Sloughing of back of Hand

and Arm. Ampul. of Forearm.—One, a weakly person, operated on for Caries of Carpus, never rallied, and sank on the third day after the operation; two operated on for Disease of Wrist, and one for Epithelial Cancer of Hand, died of Pyremia.

Amput. of Fingers.-Disease in fatal case, Paronychia; cause of death, Pneumonia.

OPERATIONS performed in Cases Treated to a Termination during the Year, from 1st October 1864 to 1st October 1865—continued.

			Ma	1 .	1		Femo		•	18.	side	n Ke- nce in s after
OPERATIONS.	Cases		or	Other Grds.			or ed.	Grds		Deatl	-	ation.
	Total Cases.	Total.	Cured or	Other	Died.	Total.	Cured or Relieved.	Other Grds.	Died.	Total Deaths.	Cured.	Died.
LOCOMOTIVE ORGANS AND OSSEOUS SYSTEM—												
Brought forward, . Amputations for Disease of Limbs—	79	63	43		20	16	13	• • •	3	23	•••	•••
,, of Thigh,	14 3	9 2	6		3 2	5	1		1	4 2	59 41	20 7
,, at Ankle (Mr Syme's Operation), ,, of Toes, Reduction of Dislocations—	15 3	14	12		$\frac{1}{2}$	$\begin{bmatrix} 1\\2 \end{bmatrix}$	$\frac{1}{2}$		•••	2	88 38	20
,, of Hip Joint,	2 6	2 4	2 4								48	
" of Claviele,	$\frac{0}{2}$	2	2 1			2			•••		$\begin{vmatrix} 16 \\ 4 \end{vmatrix}$	
Excision of Bones and Joints-		1	1						•••	•••	6	
,, of Shoulder Joint, ,, of Elbow Joint,	5 16	$\frac{5}{12}$	3 9		3	4	4			2 3	66	11
of Wrist,	$\frac{2}{1}$	2	2		ï				• • •	ï	66	28
,, of Knee Joint, ,, of Fibula, in part,	5 1	$\frac{1}{2}$	2			3	3		•••			
,, of Metatarso-phalang. Joint, Resect. of Bone, in fract. of Tibia,	1	1	1		•••		•••		•••		224 58	
Removal of Sequestra—	1	1	1	•••	•••	•••	•••		•••		22	[
,, of Lower Jaw, ,, of Scapula,	$\frac{1}{2}$	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	1 2		•••						12 18	
,, of Humerus, ,, of Bones of Fore Arm,	9	5	5	• • •		4 2	4 2			•••		
of Femur,	3	2	2 8		•••	1	1		•••			
,, of Fibula,	3	8 3 1	3			3	3					
,, of Os Caleis, ,, of Stumps,	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	2	$\frac{1}{2}$				•••			,		
Removal of Exostosis of Great Toe, Operations for—	2	1	1			ï	ï	•••		•••	i6	
,, Talipes Equinus,	8 8	6 5	6			2	2				10	
,, Do. Equino-Varus, ,, Webbed Fingers,	2					3 2	െ				$\begin{vmatrix} 10 \\ 44 \end{vmatrix}$	
,, Congen, Contraction of do	1	1 1	1		•••	•••					5 59	
,, Mov. Cartilages in Knee Joint, Excision of Bursal Cyst,	1	1	1		•••	ï	•••		ï	ï	11	25
Тотац,	216		130		33	53	48	-	5	38		35
Amount of Military		-					10	••••	0 1	30	•••	•••

Amput. of Thigh.—One operated on for Disease of Knee Joint, died of Bronchitis; two operated on for the same disease, and one with Acute Necrosis of Femur, died of Pyæmia.

Amput. of Leg.—One, in whom the operation was performed on account of Syphilitic Caries of Tibia, sank on the sixth day; the other, a case of Cancroid Uleer of the Leg, died of Pyæmia.

Amput. at Ankle.—In the two cases which proved fatal, the cause of death was Pyæmia.

Reduction of Dislocations.—The cases under this head are only those of persons who were admitted as in-door patients, and resided for a time in the Hospital. The same remark applies to all the operations included in the preceding and following lists

Excision of Shoulder Joint.—Death from Pyæmia in both fatal cases.

Excision of Elbow Joint.—One died of Bright's Disease, two of Pyæmia.

Excision of Head of Femur.—A child 9 years of age; died of Dysentery.

Excision of Bursal Cyst.—Died of Pyæmia.

OPERATIONS performed in Cases Treated to a Termination during the Year, from 1st October 1864 to 1st October 1865-continued.

			Mai	les.			Femo	ıles.			sider	n Re-
OPERATIONS.	Cases.		or	Grds.			ov.	Grds.		Death	Oper	after ation.
	Total Cases.	Total.	Cured or Relieved.	Other Grds	Died.	Total.	Cured or Relieved.	Other.	Died.	Total Deaths.	Cured.	Died.
VASCULAR SYSTEM— Ligature of Arteries— , of Com.Carotid for CarotidAneur. , of Subclavian, for Axillary do., , of Femoral, for Aneur. of Vessel, , of Do. for Popliteal Aneurism, Old Operation—for Axill. Aneurism, Excision of Erectile Tumours— , of Cheek, , of Arm, Ligature of Nævus on Neck, Injection—of Nævus on Face, , of Do. on Back of Hand,	1 1 1 1 2 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 1 1 1 1		1 1 1	2 1	2			1 1 1	 68 40 15 13 42 35 6	19 22 6
TOTAL, .	11	8	5		3	3	3		***	3		
GENITO-URINARY SYST.—Male—Lithotomy,	7 1 1 21	7 1 1.	7 1 1 21				•••		•••		48 53 1	•••
,, Do. by Holt's Dilator, ,, Perineal Section, Perin. Incis. for Rupture of Urethra, Excision of Testicle, ,, of Cancer of Scrotum, Tapping and Injecting—of Hydrocele, ,, of Spermatocele, Incision of Hæmatocele, Amput. of Prepuce in Phymosis,	12 5 2 5 1 21 1 5 15	12 5 2 5 1 21 1 5 15	11 3 5 1 21 1 4 14								13 47 60 49 20 23 33 18	25 8 15 17 20
TOTAL, .	97	97	90		7					7		
GENITO-URINARY SYST.—Female Ovariotomy, Tapping Ovarian Cysts, . Removal of Mucous Polypi of Uterus, Do. of Fibrous Tum. and Polypi of do.,	2 4 3					2 4 3	1 3	3	1	1 1 	34 15	6 7
,, by Enucleation, ,, by Ligature, ,, by Ecraseur, Do. Of Cervix Uteri by do.,	1 1 1 1 1	•••	•••			1 1 1 1	1 1 1 1				11 12 27 29	
Operations for Radical Cure— ,, of Vesico-Uterine Fistula, . ,, of Vesico-Vaginal do., .	3			•••		3	3				51 68	
Carry forward, .	19		•••			19	14	3	2	2		

Ligature of Common Carotid, and Ligature of Subclavian.—Fatal in both cases by the occurrence of Secondary Hæmorrhage Old Operation for Axillary Aneurism.—The patient died of Gangrene of Lung. Stricture of Urethra, Dilat. by Hold's Dilator.—Cause of death in fatal case, Phthisis. Stricture of Urethra, Perineal Section.—Death from Pyæmia in both cases. Rupture of Urethra.—In one case there was Fracture of the Pelvis, the patient died on the twenty-second day; in the other, Laceration of the Perineum, the patient died of Pyæmia Incision of Hæmatocele.—Cause of death in fatal case, Pyæmia.

Amputation of Prepuce.—Cause of death in fatal case, Diphtheria.

Removal of Cervix Uteri.—On account of Cauliflower Excrescence of Cervix.

OPERATIONS performed in Cases Treated to a Termination during the Year, from 1st October 1864 to 1st October 1865-continued.

	**		Mai	<u>78.</u>			Feme	18.		ths.	sider Days	n Re- nce in s after ation.
OPERATIONS.	Total Cases.	Total.	Cured or Relieved.	Other Grds	Died.	Total.	Cured or Relieved.	Other Grds.	Died.	Total Deaths.	Cured.	Died.
GENITO-URINARY SYST.—Female Brought forward, Operations for Radical Cure— ,, of Ruptured Perineum, Puncture of Vagina through Rectum, ,, of Bladder through Vagina, ,, of Vaginal Cyst, ,, of Pelvic Cyst through Rectum, ,, of Do. through Vagina, ,, of Pelvic Abscess thro' Vagina, ,, of Do. through Rectum, Removal of Urethra Carunele, ,, of Clitoris—by Ecraseur, ,, of Do. and Nymphæ—by do., Subcut. Section in Coccygodynia,	19					19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 1 1 1 1 1 1 3	3	2 1 1 	2	22 15 177 15 6 52 22 53 36 27	 2 20
TOTAL, .	36					36	28	4	4	2	••••	
ABDOMINAL VISCERA, RECTUM, AND ANUS— Operations for— , Radical Cure of Inguinal Hernia, , Strangulated Inguinal do., , Strangulated Femoral do., , Fistula in Ano, , Fissure of Anus, Excision of Cancer of Rectum, , of Growth at Verge of Anus, , of Hæmorrhoids, Ligature of Hæmorrhoids, TOTAL,	1 3 7 32 6 1 1 5 12	1 3 27 3 1 1 3 9	 1 27 3 1 1 3 8		1 2 1	 7 5 3 2 3	 3 5 3 2 3 16		4	1 2 4 1 8	36 15 10 45 10 7	3 2 4
THE EYE and Appendages—												
Ligature of Nævus of Eyelid, Removal of Lead Impacted in Cornea, Operations for— ,, Obstruction of Nasal duct, ,, Do. of Canaliculi (Bowman's Op.) ,, Entropion, ,, Staphyloma—Abscission, ,, Artificial Pupil, Iridectomy, Operations for Cataract— ,, by Extraction,	1 1 1 2 2 6 2 11	 1 2 5 7	 1 2 5 6	1		1 1 2 1 2 4	1 1 2 1 1 4	1			5 8 8 8 18 27 19 36	
Carry forward,	27	15	14	1	•••	12	11	1				

Puncture of Vagina through Rectum—For Imperforate Vagina and Retention of Menses.

Puncture of Bladder through Vagina—For Intractable Disease of the Bladder—the fistulous opening subsequently closed by Sutures.

Oper. for Strang. Inquinal Hernia.—One died of Peritonitis on the third, another, aged 70, on the fourth, day after admission.

Oper. for Strang. Femoral Hernia.—One died of Peritonitis on the day she was admitted; another on the second day after admission; in a third case there was Gaugrene of the Bowel, Abortion subsequent to operation, and Peritonitis, which proved fatal on the sixth day; the fourth, a woman 74 years of age, died of a low form of Peritonitls on the seventh day.

Ligature of Hamorrhoids.—Cause of death in fatal case, Phlebitis and Pleuro-Pneumonla.

OPERATIONS performed in Cases Treated to a Termination during the Year, from 1st October 1864 to 1st October 1865—continued.

			Mal	es.			Fema	les		S.	Mean	
OPERATIONS.	Total Cases.	Total.	Cured or Relieved.	Other Grds.	Died.	Total.	Cured or Relieved.	Other Grds.	Died.	Total Deaths.	Opered.	
THE EYE and Appendages— Brought forward, Operations for Cataract— ,, by Linear Operation, ,, by Schufts do., ,, by Suction Operation, ,, by Solution, Extraction of Lens for Injuries, Operation for Opaque Capsule, ,, for Strabismus, Excision of Eyeball, Total,	27 1 7 1 1 7 1 2 1	15 1 6 1 1 6 1 1 32	14 1 5 1 1 6 1 1 30	1 2		12 1 2 	11 2	1 1 2			13 32 9 39 23 49 5 30	
THE EAR, NOSE, AND MOUTH— Removal of Polypus of Ear, ,, of Polypi of Nose, Operation for—Hare Lip, ,, Do. and Cleft Palatc, Excision—of Sup. Maxillary Bonc, ,, of Inferior Maxillary Bone, ,, of Do. Partial, ,, of Tongue for Cancer, ,, of Do. Partial, ,, of Cystic Tumour of Upper Jaw, ,, of Epulis, ,, of Uvula, ,, of Enlarged Tonsils, ,, of Carcinoma of Lips, ,, of Epithelioma of do.,	1 4 6 3 1 1 1 2 1 3 1 3 1 3 1 3 1 4 7	1 3 3 1 1 1 1 2 2 2 12 12 28	1 3 3 1		 1 1 1 	 1 3 2 1 1 2 1 1 1 1 3 1 1	 1 2 2 1 2 1 3 1 1 1 3		1 1 1 2		7 6 23 25 29 14 10 6 2 33 12	 4 2 13
TUMOURS—additional to those in preceding lists— Excision of Tumours— ,, of Scalp—Encysted, ,, of Face—Adenoid, ,, Cystic, ,, Epitheliomatous, ,, Malignant on Cheek, ,, of Neck—Cystic, ,, Parotid Tumours, , of Back.Should., & Nape of Neck, ,, Fatty, ,, Fibrous of Nape of Neck, ,, Recurrent Fibrous of do., , of Breast—Adeuoid,	3 1 3 2 1 1 3 7 2 1 1 1 2 1 1	2 2 1 1 1 1 2 1 	2 2 1 1 1 1 2 1 			1 1 1 1 2 5 1 1 1 1	1 1 1 1 2 5 1 1 1 1				14 12 15 15 40 5 31 16 21 50 28	

Operation for Harelip —Cause of death in fatal case, Croup.

Excision of Sup. Maxillary Bone —Removed on account of a malignant tumour of the Jaw.

Excision of Inferior Maxillary Bone for tumour.—The bone disarticulated on both sides, and entirely

removed.

Excision of Inferior Maxillary Bones, partial.—On account of Tumours of Maxillary Bones.

Excision of Epithelioma of Lips — Cause of death in fatal case, Ifeart Disease.

OPERATIONS performed in Cases Treated to a Termination during the Year, from 1st October 1864 to 1st October 1865—continued.

	S.		Mal				Fema			hs.	sider Days	n Re- ice in after
OPERATIONS.	Total Cases.	Total.	Cured or Relieved.	Other Grds.	Died.	Total.	Cured or Relieved.	Other Grds.	Died.	Total Deaths.	Cured.	Died.
TUMOURS—additional to those in preceding lists— Brought forward, Excision of Tumours— ,, of Breast, Cystic, ,, Cystic Sarcomatous, ,, Fibrous, ,, Fibrous, ,, Schirrous, ,, of Axilla—Medullary, ,, of Superior Extremity—Fatty, ,, of Inferior do.—Painful Subcut. ,, Malignant of Thigh, ,, Do. of Foot, ,, of other parts—Fatty & Fibrous, Incision of—Cysts on Neck, Injection of—Do., ,, Hydrocele of Thyroid, Removal of Epithel. Horn on Temple,	1 1	11 1 1 1 1 	11 1 1 1 1 1 1 7			14 1 1 2 1 1 19 1 2 3 2 1 1 1 1 2	14 1 1 1 2 1 1 17 1 2 1 3 2 1 1 1 47			2	50 27 24 11 34 19 13 6 122 57 23 13 14 92	 6
MISCELLANEOUS OPERATIONS— Trephining for Compress, of Brain— ,, for Intracran. Suppuration, ,, for Depressed Comp. Fracture, Tracheotomy for— ,, Laryngitis, ,, Do. Syphilitic, ,, Do. Complicated with Phthisis, ,, Oedema Glottidis, ,, Croup, ,, Diphtheria, , Paracentesis—of Chest, ,, of Abdomen, ,, of Spina Bifida,	1 1 2 1 2 3 5 4 1 2 1	1 1 1 2 2 1 1 2	 1 1 		1 1 1 2 1 2 2	1 1 1 1 1 3 3 	1 1 1 1		1 1 1 3 2 1	1 1 1 2 1 5 3 3	45 13 49	5 17 3 1 1
TOTAL, .	23	11	3		8	12	3		9	17		
SUMMARY OF PRECEDING OPERATIONS. Locomotive Organs & Osseous System, Vascular System, Genito-Urinary Organs—Male, Genito-Urinary Organs—Female, Abdom. Viscera, Rectum and Anus, The Eye and Appendages, The Ear, Nose, and Mouth, Tumours, Miscellaneous Operations,	11 97 36 68 48 47 66 23	163 8 97 48 32 28 17 11	130 5 90 44 30 24 17 3	2	33 3 7 4 8	53 3 36 20 16 19 49 12	48 3 28 16 14 17 47 3	4 2	5 4 4 22 9	28 3 7 4 8 6 2 17		
Тотли, .	612	404	343	2	59	208	176	6	26	85		

<u>⊣</u> ന

:⊢

40101

Total Deaths.

90. Died. 20 80 Total. 70 to 80. .bied. : : OPERATIONS—Number of CASES Operated on, and MORTALITY at different AGES. Total. 60 to 70. Died. :01 : : Total. 50 to 60. Died. :01 Total. 30 to 40. 40 to 50. Died. : : = :∺ ::⊣∾ : : : Total. : Died. : :⊣ \neg Total. 15 to 20, | 20 to 30. .bila. :20 -:-Total. Died. Total. 10 to 15. : : : : Died. :4 Total. 5 to 10 .bied. Total. .bied. 10 2 : : ·lutoT 010 2002 Total Cases. ", of Arm & Forearm of op. sides. ", of Leg and at Ankle on do., Secondary Amput. for Injuries— LOCOMOTIVE ORGANS, AND " at Ankle (Mr Syme's Oper.) ", of 10es, Double Primary Amputations ", of Toes, Amput. for Disease of Limbs-", of Toes, Reduction of Dislocations at Shoulder Joint, OPERATIONS. Primary Amputations-" at Shoulder Joint. OSSEOUS SYSTEM " of Hip Joint, at Hip Joint, at Hip Joint, of Shoulder, of Forearm, ", of Forearm, of Forearm, of Fingers, of Fingers, " of Fingers, of Thigh, " of Thigh, of Toes. of Arm, of Arm, of Toes. " of Leg,

[[61 to] [] [] [] [] [] [] [] [] []	: : : : -	38	ㅋㅋ : :ㅋ	ಣ
	: : : : :	П		
	: : : : :		:::::	:
		Н	:::::	:
	: : : : :	-	:::::	:
		ಣ	:::::	:
	: :: :- :	10		:
		62	⊣ : : :⊣	¢1
		10	ㅋ : :ㅋㅋ	ಣ
		72	:::::	:
-: :-::::::::::::::::::::::::::::::::::		6	:::::	:
:: «J:::::::::::::::::::::::::::::::::	::::	13	:-:::	П
in wanta in 11111111111111111111111111111111111	: : : : : : : : : : : : : : : : : : : :	25	:::	23
	: : : : :	6	: : : : :	:
н : i4 : igu : i : igu : i : i : i : i : i : i : i	: : : : :	52	: : : : :	:
	:::::	70	:::::	:
:: iu:iu::: iuu::: iuu::uu::uu::	:::::	38	:::::	:
		22	:::::	:
: : 014 : : : : : : : : : : : : : : : : : : :	- : : : :	36	:::::	:
11 1117 1111 11111111111	:::::	Н	::::::	:
	:::::	15	:::::	:
	:::::		:::::	
:: :0 :::: 1 :::: 1 :: 1 :: 1 : 1	::	20	:::::	:
an paduntul lacestishad ooc	ч	216	ппппп	20
Reduction of Dislocations— " of Clavicle, " of Elbow, " of Elbow, " of Shoulder Joint, " of Mrist, " of Head of Femur, " of Knee Joint, " of Knee Joint, " of Ribula—Partial, " of Ribula—Partial, " of Ribula—Partial, " of Ribula—Partial, " of Jone in Fract. of Tibia, Resect. of Bone in Fract. of Tibia, Removal of Sequestra— " of Lower Jaw, " of Scapula, " of Scapu	". Webbed Fingers, Congen. Contraction of do., Mov. Cartilages in Knee Jnt, Excision of Bursal Cyst,	TAL, .	Ligature of Arteries— " of Com. Carotid for Aneur., " of Subclav., for Axill. do., " of Femoral, for Aneur of Ves. " of do., for Popliteal Aneur., Old Operation for Axill. Aneur.,	Carry forward,

OPERATIONS—Number of CASES Operated on, and MORTALITY at different AGES—continued. OPERATIONS. Folial. 10 to 15. 15 to 20. 30 to 30. 30 to 40. 50 to 40.		eaths.	$I_{bho'T}$	(-)	_	(,2)	1	: :	:="	N CM :	: :		2	77 :	
		0 90.	.bsia	:	:::::	:	:	0 0		:::	::	: : :	:		
Number of CASES Operated on, and MORTALITTY at different AGES Number of CASES Operated on, and MORTALITTY at different AGES		80 4	.IntoT	:	:::::		:	: :	::	: : :	::	: : :		:::	
Number of CASES Operated on, and MORTALITTY at different AGES Number of CASES Operated on, and MORTALITTY at different AGES	ued.	, 80.	Died.	:		:	:	::	::	: : :	: :	: : :		:::	
Number of CASES Operated on, and MORTALITTY at different AGES Number of CASES Operated on, and MORTALITTY at different AGES	ntin	70 %	Total.	:	:::::	:	:	::	::	: : :	:00	: : :	က	:::	
Number of CASES Operated on, and MORTALITY at different AGE			Died.	:	:::::	:	:	: :	::	: : :	: :	: · · ·	П	:::	
Number of CASES Operated on, and MORTALITTY at	GES	97 09	.lnto'T	i i	:::::	:	:	- :	ର ଦା	: :-	:01	:- :	10	: : :	
Number of CASES Operated on, and MORTALITTY at	t A	. 60.	Died.	2		2	:	::	:::	: : :	: :	: : :	:	:::	
Number of CASES Operated on, and MORTALITTY at	erer	50 tc	.IntoT	ಣ		ಣ	7	: :	ee ⊢	: :-	⊣ 00		12	:44	
Number of CASES Operated on and MORTALITTY 11 1-1-1-12 3-1 70tal Custs. 12 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1 1-1-1-12 3-1	diff	. 50.	Died.	:		:	:	::	:	- : :	::	: : :	ु		
Number of CASES 1,50,11,21,10,11		40 tc	Total.	:	ㅋㅋ : : :	ଦା	7	::	010	¬ : :	: 00	: co	19	:- :	
Number of CASES 1,50,11,21,10,11	CIT	40.	.bsia.	1			:	: :	: : : -	¬ : :	::		-	~~ :	
Number of CASES 1,50,11,21,10,11	TA	30 tc	Total.	2	:::::	2	:	::	70 4 c	N ; 00	9	4 :⊢	55	:	
Number of CASES 1,50,11,21,10,11	TOB		Died.	:	:::::	:	:	::	::	: : :	: :	: : -	F	:::	
Number of CASES 1,50,11,21,10,11	nd D	20 to	.Into'T	:	⊣ : : : :	П		:-	:000	N : :	: 4,	12	13	пне	
Number of CASES 1,50,11,21,10,11	n, a		Died.	:		:	:	: :	: :	: -:	::		1		
Number of CASES 1,50,11,21,10,11	o pe	15 to	Juto'I	:	:::::	:	-	: :	::	:⊣ :	::	: :4	9	:::	
Number of CASES 1,50,11,21,10,11	erat		.bəia.	:		:	:	: :	::	:∹ :	: :	: : :	1		
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		10 to	Juto'T	:	:::::	:	-	: :	::	:∹ :	::	::=	ಣ	:::	
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	SES	10.	.bsia.	:	: : : : :	:	:	: :	::	: : :	: :	: : :		:::	
OPERATIONS—Number of VASCULAR SYSTEM— Brought forward, " of Cheek, " of Arm, " of Arm, " of Arm, " of Do. on Back of Hand, " Dilattion by Bougic, " Dilattion by Bougic, " Dilattion by Bougic, " Dilattion by Bougic, " Dilattion by Holts Dilator, " Perincal Section, " Perincal Section, " Perincal Section, " of Cancer of Scrotum, " Perincal Section, " of Cancer of Scrotum, " of Cancer of Scrotum, " of Spermatoccle, " Tarping X Inject of Hydroccle, " of Spermatoccle, " Tarping Ovarian Cysts, " Tapping Ovarian Cysts, " " " " " " " " " " " " " " " " " " "		to	Trotal.	:	:::::	:	-	: :	::	: : :	: :	: : :	П	:::	
OPERATIONS—Number Operation of Exercise of Excision of Erectile Tumours— " of Cheek,	or of		.hsia	:	::::::	:	:	: :	::	:::	: :	: : :	:	:::	
OPERATIONS—Number of Particle Tumours— " of Arm," of Arm," of Arm," of Arm," of Arm," of Cheek," of Open Back of Hand, " of Obe. on Back of Hand, " of Do. on Back of Hand, " Toral," of Central Calculus, " Dilatation by Bougic," " Excision of Testicle," " of Caneer of Serotum, Tapping & Inject. of Hydrocele, " of Spermatocele," " of Sperm	dm	0 to	Juto'T	:	::	က	-	: :	::	: : :	::	: : -	27	:::	
OPERATIONS. VASCULAR SYSTEM— Brought forward, of Cheek, of Cheek, of Cheek, ligature of Nævus on Neck, Injection—of Nævus on Face, of Do. on Back of Hand, Total, CENITO-URIN. ORGANS-Male Lithotomy, Lithotomy, Lithotomy, Lithotomy, Dilatation by Bougie, N. Dilatation by Bougie, Do. by Holt's Dilator, Perincal Section, Perincal Section, Perincal Section, Tapping & Inject. of Hydrocele, of Caneer of Serotum, Tapping & Inject. of Hydrocele, of Spermatocele, Incision—of Hematocele, Incision—of Hematocele, Incision—of Hematocele, Incision—of Hematocele, Incision—of Hematocele, Incision—of Hematocele, Total, Tapping & Inject. of Hydrocele, Novariotomy, Tapping Ovarian Cysts, Tapping Ovarian Cysts, Tapping Ovarian Cysts, Tapping Ovarian Cysts,	ž Ž	*รอร <i>ก</i> ผู้	J IntoT	ŭ	опене	17	L-1		121	0 01 TO	27	12021	26	0.40	
	OPERATIONS-		OPERATIONS.	VASCULAR SYSTEM— Brought forward, Excision of Erectile Tumours—	", of Cheek, Ligature of Nævus on Neck, Injection—of Nævus on Face, ,, of Do. on Back of Hand,	TOTAL, .	GENITO-URIN. ORGANS-Male Lithotomy,	Extraction of Urethral Calculus,	", Dilatation by Bougic, "Dilatation by Holt's Dilator, "Pointed Scotter	". Yermeal Section, Perin. Incis. for Rupt. of Urethra, Excision of Testicle,	", of Cancer of Serotum, Tapping & Inject, of Hydrocele,	Incision—of Hematocelc, Amput. of Prepuce in Phymosis,	TOTAL, .	GENURIN. ORGANS—Female Ovariotomy, Tapping Ovarian Cysts, Removal of Muc.Polypi of Uterus.	

4 H024 : : : : : : 0 : : :
: : : : : : 4
: :: :: : : : : : : : : : : : : : : : :
: :Led : : : : : : 10 10 : : :
: :::::::::::::::::::::::::::::::::::::
:: = 0 :: :: : : : : : : : : : : : : : :
: : : : : : : : : : : : : : : : : : : :
: : : : : : : : : : : : : : : : : : :
: : : : : : : : : : : : : : : : : : : :
: ::usch :: 4 62 :: :
HH::::::::::::::::::::::::::::::::::::
HH :000 :: :01 H :: :
; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
2 11 25 11 6 32 7 3 1
ABDOMINAL VISCERA, REC- TUM, AND ANUS— Operations for— "Rad. Cure of Inguinal Hernia" Strangulated Inguinal do., "Fistula in Ano, "Fistula in Ano, "Fistula in Ano, "Fistula of Cancer of Rectum, of Growth at Verge of Anus, "Hemorrhoids, "He

Total Deaths. :=== 80 to 90. Died. .IntoT : : OPERATIONS—Number of CASES Operated on, and MORTALITY at different AGES—continued. 70 to 80. • .boid. : • .lntoT O : 60 to 70. .boia. 12 .IntoT :-: . : 50 to 60. Died. .IntoT 40 to 50. : : Died. G : : .IntoT 30 to 40. : : Died. :07 9 : - 0 .IntoT 20 to 30. .boid : - - -:07 9 : : : .JutoT : : 20. : : : Died. 2 :--20 : : 15 .IntoT to 15. : : : ; Died. : : 10 Juto T 5 to 10. Died. Total. 0 to 5. Died. : ---.JnjoL 8 112200 G1 Total Cases. ., by Solution, Extraction of Lens for Injuries, of Inferior Maxillary Bone, Operation for Opaque Capsule, Obstruction of Nasal duet. "Do. and Cleft Palate, Excision of Sup. Maxil. Bono, THE EAR, NOSE, & MOUTH Staphyloma-Abseission, TOTAL, . EYE and Appendagesby Extraction,
by Linear Operation,
by Schuft's Operation,
by Suction Operation,
by Solution, Removal of Polypus of Ear. of Tongue-for Cancer, ", of Polypi of Nose, Operations for - Hare Lip, Operations for Cataract-" Double Haro Lip, OPERATIONS. Brought forward, Do. of Canalieuli, Artificial Pupil, ", for Strabismus, Excision of Eyeball, of do. Partial, Entropion, ", Andread Iridectomy,

9	
:::::::::::::::::::::::::::::::::::::::	
:::::::	
: : : : : : - -	
9 2	- -
:::::=0 00	
: : : : : : : : : : :	
1 : 1 : : : : 4 0	4 : :4 : : : : : :44 : : :044 : : : : :
::::::::	:::::::::::::::::::::::::::::::::::::::
H : : : : 1	: 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1
::::::	
::::::	: : : : : : : : : : : : : : : : : : : :
:::::::::::::::::::::::::::::::::::::::	
:- : : : rɔ	L : L : : : L : : : : : : : : : : : : :
:::::::::	
::::::	
:::::::::	
:::=::	
:::::::::::::::::::::::::::::::::::::::	
::61 :::: 10	
: : : : : : : : 67	
: : : : : : : : : : : : : : : : : : : :	
# B223131	мамани мананананананана ф ————————————————————————————————————
", of Do. Fartial, of Cystic Tum. of Up. Jaw, of Epulis, of Uvula, of Chvula, of Chreinoma of Lips, of Epithelioma of Lips, of Epithelioma of Lips,	TUMOURS—additional to those in preceding lists— " of Scalp—Encysted,, of Face—Adenoid,, Cystic,, Malignant on Cheek,, Malignant on Cheek,, Parotid Tumours,, Parotid Tumours,, Parotid Tumours,, Recurrent Fibrous of do.,, Recurrent Fibrous of do.,, Fibrous—Adenoid,, Cystic,, Fibrous,, Fibrous,, Fibrous,, Schirrous,, Schirrous,, Schirrous,, Schirrous,, Schirrous,, Schirrous,, Schirrous,, Schirrous,, Schirrous,, Malignant of Thigh,, of Infer. do.—Painful Sub,, of ther parts—Fatty & Fib., Incision—of Cyst on Neck, Injection—of Gyst on Neck, Injection—of do.,, of Hydrocele of Thyroid, Remov. of Epithel. Horn on Temp.

	Total Deaths.			17
	80 to 90.	Died.	:::::::::::::::::::::::::::::::::::::::	:
		Total.	11 1111111	:
	. 80.	Died.	:::::::::::::::::::::::::::::::::::::::	:
	70 to	Total.	:: ::::::::::::::::::::::::::::::::::::	:
	60 to 70.	Died.	:: ::::::::	:
		Total.	:::::::::::::::::::::::::::::::::::::::	:
	. 60.	Died.	:: :::=:::	1
	50 to	Total.	:::::::::::::::::::::::::::::::::::::::	П
	40 to 50.	Died.	:::::::::::::::::::::::::::::::::::::::	C)
		Total.	:: ::-:::-:	63
	40.	Died.	:: :===:::=::=::	ಣ
	30 to	Total.	:: :44 ::::4	ಣ
	.30.	Died.	T:::::::::::::::::::::::::::::::::::::	1
	20 to	.lnto'T	H : H : H : : : : :	ಣ
	15 to 20.	Died.	:: :::::::	:
		Total.	:: ::::::::::::::::::::::::::::::::::::	63
	10 to 15.	Dicd.	:- ::::::::	-
		Total.	;H H : : : : : : :	C.
	5 to 10.	Died.	:: ::::::	-
		Total.	:: ::::::::::::::::::::::::::::::::::::	22
	0 to 5.	Died.	:::::::::::::::::::::::::::::::::::::::	00
		Total.	:: :::::::::::::::::::::::::::::::::::	00
	Total Cases.		HH ØHØ004HØ1	23
	operations.		VISCELLANEOUS OPERA-Trophin. in Compres. of Brain— "from Intracran. Suppur., "from Depressed Comp. Frac., "Laryngitis, "Do. Syphilitic, "Do. Complic., with Phthisis, "Oedema Glottidis, "Croup, "Diphtheria, "piphtheria, "of Abdomen, "of Abdomen, "of Splina Bifida,	TOTAL, .

OPERATIONS—Number of CASES Operated on, and MORTALITY at different AGES—continued.

SUMMARY OF PRECEDING OPERATIONS.

Total Deaths.		38 20 17 17	85		
90.	Died.	_:::::::::	:		
80 to	Total.		:		
80.	Died.	ㅋ : : :0 :ㅋ : :	7		
70 to	Total.	H :ω :4αr-α :	19		
70.	Died.	w !- !- ! !- !	9		
60 to	.IntoT	10 10 10 10 10 10 10 10 10 10 10 10 10 1	46		
60.	Died.	77 : : : : 77	7		
50 to	Total.	10 12 13 13 10 10 10	54		
50.	Died.	8 18 14 1 148	00		
40 to	Total.	20 20 20 20 20 20 20 20 20 20 20 20 20 2	85		
40.	.boia.	E22 :- :e	23		
30 to	.IntoT	25 22 22 23 10 10 10 10 10 10 10 10 10 10 10 10 10	113		
30.	Died.	e :aa : : :-	15		
20 to	·lmoT	52 1 19 10 10 10 3	126		
20.	Died.	್ :⊣ : : : : : :	9		
15 to	.IntoT	88 :00-10-100	57		
15.	Dicd.	22 :H : : : : : : : : : : : : : : : : :	4		
10 to 15.	Total.	8 : : : : : : : : : : : : : : : : : : :	49		
10.	Died.	≓ ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	63		
5 to	Total.	79: 11: 11: 12: 12: 13: 13: 13: 13: 13: 13: 13: 13: 13: 13	21		
	Died.	: : : : : : : : : : : : : : : : : : :	10		
0 to	.lntoT	8 w e1 : : H & : &	42		
Total Cases.		216 11 11 97 36 68 48 47 47	612		
OPERATIONS.		Locomo. Organs & Osseous Syst., 216 Vascular System. Genito-Urinary Organs—Male, 97 Genito-Urinary Organs—Female, 36 Abdom. Viscera, Rect. & Anus, 68 The Eye and Appendages, 48 The Ear, Nose, and Mouth, 47 Fumours, 66 Kumours, 67 Kumours, 68 Kumo	TOTAL,		

